WhoopDeDupe!



Power Shifter - Standard Fields

Page 1 of 4

PED	ASSIGNED	STORED	FIELD MAPPING SCREEN FIELD DESCRIPTION	OUTPUT FIELD NAME
	X	x	[WHOOPDEDUPE RECORD ID - assigned automatically - only unique within file]	WD_REC_ID
	27			
	x	x	[FILE NAME - user assigned]	FILE_NAME
	X	X	[FILE CODE #1 - user assigned]	FILE_CODE1
	X	х	[FILE CODE #2 - user assigned]	FILE_CODE2
	x	X	[FILE CODE #3 - user assigned]	FILE_CODE3
(x	ASSESSMENT (may be SCORE or LABEL)	
	Х	х	[mapped from ASSESSMENT by user - scores range from 0 to 9]	ASSESSMENT_SCORE
	Х	х	[original mapped ASSESSMENT value]	ASSESSMENT_LABEL
(x	HAND CHART GROUPING (e.g. VAN turf assignment) [Power Shifter only]	HANDCHART_GROUPING
(x	UNION LOCAL	U_LOCAL
(х	MEMBER ID (original from uploaded file)	 MEMBER_ID
(х	EMPLOYEE ID (assigned by employer)	EMPLOYEE_ID
(х	LICENSE NUMBER	LICENSE_NUMBER
(х	LICENSE NUMBER EXPIRATION DATE	LICENSE_NUMBER_EXP
(X	SOCIAL SECURITY NUMBER (stored & exported as an encrypted key)	SSN_KEY [encrypted]
(х	x	SOCIAL SECURITY NUMBER - LAST 4 DIGITS	SSN_LAST4
	x	x	[TARGETSMART ID - assigned by API data service]	TSID_MOSTRECENT
	x	x	[TARGETSMART MATCH CONFIDENCE - assigned by API data service]	TSID_CONF_MOSTRECENT
(x	x	DWID (Catalist ID; available to active Catalist accounts)	DWID_MOSTRECENT
(x	x	DWID (Catalist 1D, available to active Catalist accounts) DWID CONFIDENCE (Catalist match confidence score; available to active Catalist accounts)	DWID_CONF_MOSTRECENT
ι (^	x	VAN ID	VAN_ID
ς ζ		x		
(v	X	MYCAMPAIGN ID (VAN Campaign ID)	MYCAMPAIGN_ID
	^	~	VOTEBUILDER ID (assigned by TargetSmart for SmartVAN data uploads)	VOTEBUILDER_ID
(х	FULL NAME	NAME
(x	х	FIRST NAME	FIRST
(x	х	MIDDLE NAME (or initial)	MIDDLE
(x	х	LAST NAME	LAST
(x	х	NAME SUFFIX	SUFFIX
	X	X	[PERSON #2 FULL NAME - split off from combined name; user prompted with option]	NAME_2
	X	х	[PERSON #2 FIRST NAME - split off from combined name; user prompted with option]	FIRST_2
	x	х	[PERSON #2 MIDDLE NAME - split off from combined name; user prompted with option]	MIDDLE_2
	x	х	[PERSON #2 LAST NAME - split off from combined name; user prompted with option]	LAST_2
	x	X	[PERSON #2 NAME SUFFIX - split off from combined name; user prompted with option]	SUFFIX_2
	x	x	[PERSON #3 FULL NAME - split off from combined name; user prompted with option]	NAME_3
	x	x	[PERSON #3 FIRST NAME - split off from combined name; user prompted with option]	FIRST_3
	x	x	[PERSON #3 MIDDLE NAME - split off from combined name; user prompted with option]	MIDDLE_3
	x	x	[PERSON #3 LAST NAME - split off from combined name; user prompted with option]	LAST_3
	x	x	[PERSON #3 NAME SUFFIX - split off from combined name; user prompted with option]	SUFFIX_3
	~	~		5611 III_5
	x	x	[PERSON #4 FULL NAME - split off from combined name; user prompted with option]	NAME_4
	x	x	[PERSON #4 FIRST NAME - split off from combined name; user prompted with option]	FIRST_4
	х	х	[PERSON #4 MIDDLE NAME - split off from combined name; user prompted with option]	MIDDLE_4
	х	х	[PERSON #4 LAST NAME - split off from combined name; user prompted with option]	LAST_4
	x	X	[PERSON #4 NAME SUFFIX - split off from combined name; user prompted with option]	SUFFIX_4
(x	NICKNAME or ALIAS	ALIAS
(x	TITLE / POSITION	TITLE
(x	x	GENDER (e.g. F, M, Female, Male, etc.)	GENDER
、 (x	BIRTH DATE	BIRTHDATE
、 (x	x	BIRTH YEAR	BIRTHYEAR
(~	X	DECEASED (or date thereof)	DECEASED
(X		LANGUAGE1
•	v			LANGUAGE1 LANG1_STANDARD
	X	X	[LANGUAGE STANDARDIZED - assigned automatically]	-
,	x	X	[LANGUAGE CODE - assigned automatically]	LANG1_CODE
•	Y	X		
	X	X	[LANGUAGE #2 STANDARDIZED - assigned automatically]	LANG2_STANDARD
	x	х	[LANGUAGE #2 CODE - assigned automatically]	LANG2_CODE
	~	x	HISPANIC	HISPANIC

Power Shifter - Standard Fields

Page 2 of 4

х	х	[POTENTIALLY CHINESE - assigned automatically]	CHINESE_FROM_NAME
x	x	[POTENTIALLY RUSSIAN - assigned automatically]	RUSSIAN_FROM_NAME
x	x	[POTENTIALLY VIETNAMESE - assigned automatically]	VIETNAMESE_FROM_NAME
	х	RACE	RACE
	х	ETHNICITY	ETHNICITY
	х	ADDRESS LINE 1 (e.g. 123 Main Street NE)	ADDRESS_1
	х	ADDRESS LINE 2 (e.g. Apt)	ADDRESS_2
	х	ADDRESS LINE 3	ADDRESS_3
		HOUSE NUMBER (e.g. 423 or 423 1/2)	
		HOUSE FRACTION (e.g. 1/2 or 1/2)	
		PRE-DIRECTIONAL (e.g. N, S, E, W, NE, NW, SE, SW)	
		STREET NAME (e.g. Franklin, Franklin Ave, or Franklin Ave NE)	
		STREET TYPE (e.g. Avenue or Ave) POST-DIRECTIONAL (e.g. N, S, E, W, NE, NW, SE, SW)	
		UNIT TYPE or DESIGNATOR (e.g. APT, STE, LOT, RM, #, etc.)	
		UNIT NUMBER (e.g. 12, B2, C, 3423, etc.)	
x	х	CITY	СІТҮ
x	x	U.S. STATE/CANADIAN PROVINCE (any format incl. U.S. FIPS)	STATE
	x	ZIP (U.S./Canada)	ZIP
		ZIP-4 (4-digit portion only, if not included in ZIP field)	
		CITY-STATE-ZIP (may include also ADDRESS and even NAMELINE)	
	x	COUNTRY	COUNTRY
X	х	COUNTY	COUNTY
	х	BAD ADDRESS	ADDRESS_BAD
		GOOD ADDRESS (reverse of BAD ADDRESS)	
X	х	[DATE ADDRESS ENHANCED BY CASS - assigned by SmartSoft CASS API service]	CASS_UPDATE
X	x	LATITUDE	
x	x	LONGITUDE	
X	x	[GEOCODE LEVEL - assigned by SmartSoft or TargetSmart Geocode API service]	GEO_LEVEL
x	x	[CONCRESSIONAL DISTRICT - assigned by various wonder data and issa]	CONG DIST
x	x	[CONGRESSIONAL DISTRICT - assigned by various vendor data services] [STATE SENATE DISTRICT - assigned by various vendor data services]	CONG_DIST SENATE_DIST
x	x	[STATE HOUSE/ASSEMBLY DISTRICT - assigned by various vendor data services] [STATE HOUSE/ASSEMBLY DISTRICT - assigned by various vendor data services]	LEG_DIST
x	x	[PRECINCT NUMBER - assigned by various vendor data services]	PRECINCT_NBR
x	x	[PRECINCT NAME - assigned by various vendor data services]	PRECINCT_NAME
x	x	[WARD - assigned by various vendor data services]	WARD
x	x	[SCHOOL DISTRICT - assigned by various vendor data services]	SCHOOL_DIST
x	х	[MUNICIPALITY NAME - assigned by various vendor data services]	MUNICIPALITY
x	х	[COUNTY COMMISSIONER DISTRICT - assigned by various vendor data services]	COUNTY_COMMISSIONER_DIST
x	х	[EXTRA DISTRICT - different in each state - assigned by various vendor data services]	EXTRA_DIST
	х	MAILING ADDRESS LINE 1 (e.g. 123 Main Street NE)	MAIL_ADDRESS_1
	х	MAILING ADDRESS LINE 2 (e.g. Apt)	MAIL_ADDRESS_2
	х	MAILING ADDRESS LINE 3	MAIL_ADDRESS_3
		MAILING ADDRESS HOUSE NUMBER (e.g. 423 or 423 1/2)	
		MAILING ADDRESS HOUSE FRACTION (e.g. 1/2 or ½)	
		MAILING ADDRESS PRE-DIRECTIONAL (e.g. N, S, E, W, NE, NW, SE, SW)	
		MAILING ADDRESS STREET NAME (e.g. Franklin, Franklin Ave, or Franklin Ave NE)	
		MAILING ADDRESS STREET TYPE (e.g. Avenue or Ave)	
		MAILING ADDRESS POST-DIRECTIONAL (e.g. N, S, E, W, NE, NW, SE, SW)	
		MAILING ADDRESS UNIT TYPE or DESIGNATOR (e.g. APT, STE, LOT, RM, #, etc.) MAILING ADDRESS UNIT NUMBER (e.g. 12 B2 (- 3423, etc.)	
		MAILING ADDRESS UNIT NUMBER (e.g. 12, B2, C, 3423, etc.)	
x	x	MAILING ADDRESS CITY	MAIL_CITY
x	x	MAILING ADDRESS STATE/PROVINCE (any format incl. U.S. FIPS)	MAIL_STATE
	x	MAILING ADDRESS STATE/PROVINCE (any format incl. 0.3. 11(3))	MAIL_ZIP
		MAILING ADDRESS ZIP (0.3.) canada) MAILING ADDRESS ZIP-4 (4-digit portion only, if not included in ZIP field)	
		MAILING ADDRESS CITY-STATE-ZIP (may include also ADDRESS)	
	х	MAILING ADDRESS COUNTRY	MAIL_COUNTRY
	х	BAD MAILING ADDRESS	MAIL_ADDRESS_BAD
		GOOD MAILING ADDRESS (reverse of BAD MAILING ADDRESS)	
		PRIMARY PHONE AREA CODE (if not included in PRIMARY PHONE field)	
	х	PRIMARY PHONE	PHONE_PRIMARY
		PRIMARY PHONE TYPE (e.g. HOME, HM, H, CELL, CL, C, WORK, WK, W, OFFICE, OFC, FAX, FX, F, OTHER,	_
x	х	[BAD PRIMARY PHONE - assigned by vendor service]	PHONE_PRIMARY_BAD

Power Shifter - Standard Fields

Page 3 of 4

MAPPED ASSIGNED STORED FIELD MAPPING SCREEN FIELD DESCRIPTION

PED	ASSIGNED S	TORED	FIELD MAPPING SCREEN FIELD DESCRIPTION	OUTPUT FIELD NAME
	х	х	[AREACODE CORRECTION DATE - assigned by vendor service]	AREACODE_UPDATE
ĸ			HOME PHONE AREA CODE (if not included in HOME PHONE field)	
ĸ		х	HOME PHONE	PHONE_HOME
ĸ			CELL PHONE AREA CODE (if not included in CELL PHONE field)	
ĸ		х	CELL PHONE	PHONE_CELL
ĸ			CELL PHONE #2 AREA CODE (if not included in CELL PHONE #2 field)	
ĸ		х	CELL PHONE #2	PHONE_CELL_2
ĸ		~	WORK PHONE AREA CODE (if not included in WORK PHONE field)	
ĸ		х	WORK PHONE	PHONE_WORK
ĸ		x	WORK PHONE EXT.	PHONE_WORK_EXT
r K		^	FAX AREA CODE (if not included in FAX field)	PHONE_WORK_EXT
ĸ		х	FAX AREA CODE (If not included in FAX held)	FAX
~		^	184	185
ĸ		х	EMAIL ADDRESS	EMAIL
ĸ		x	EMAIL ADDRESS #2	EMAIL_2
ĸ		x	EMAIL ADDRESS #2	EMAIL_2 EMAIL_3
ĸ		x	EMAIL ADDRESS #3	EMAIL_WORK
				_
ĸ		х	WEB ADDRESS	WEB
,		v		DO NOT MAT
ĸ		х	DO NOT MAIL	DO_NOT_MAIL
ĸ		v	DO MAIL (reverse of DO NOT MAIL)	
(,		х	DO NOT CALL	DO_NOT_CALL
(,		v	DO CALL (reverse of DO NOT CALL)	DO NOT THAT
(,		x	DO NOT EMAIL	DO_NOT_EMAIL
(DO EMAIL (reverse of DO NOT EMAIL)	
(,		x	DO NOT CONTACT / NO SOLICITATION	DO_NOT_CONTACT
(DO CONTACT (reverse of DO NOT CONTACT)	
(x	PERMIT CELL PHONE TEXTING	PERMIT_TEXTING
(DO NOT PERMIT CELL PHONE TEXTING (reverse of PERMIT CELL PHONE TEXTING)	
(x	PERMIT PERSONAL EMAIL	PERMIT_PERSONAL_EMAIL
(х	PERMIT WORK EMAIL	PERMIT_WORK_EMAIL
(х	TEXT ME	TEXT_ME
ĸ		х	EMAIL ME	EMAIL_ME
ĸ		х	INDUSTRY	INDUSTRY
(х	CLASS	CLASS
(х	MEMBER TYPE	MBR_TYPE
(х	STATUS	STATUS
ĸ		х	CONTRACT ID	CONTRACT_ID
ĸ		х	CONTRACT	CONTRACT
ĸ		х	CONTRACT - BEGIN DATE	CONTRACT_BEGIN
ĸ		х	CONTRACT - END DATE	CONTRACT_END
(х	CHAPTER ID	CHAPTER_ID
(х	CHAPTER	CHAPTER
(х	COMMITTEE ID	COMMITTEE_ID
(х	COMMITTEE	COMMITTEE
(Х	PROGRAM ID	PROGRAM_ID
(Х	PROGRAM NAME	PROGRAM_NAME
(х	PROVIDER ID	PROVIDER_ID
(Х	PROVIDER NAME	PROVIDER_NAME
(Х	STEWARD	STEWARD
(Х	WORKSITE LEADER	WKST_LEADER
(Х	ACTIVIST	ACTIVIST
(х	VOLUNTEER	VOLUNTEER
(х	PARTY AFFILIATION	PARTY
(х	WAGE RATE	WAGE_RATE
(х	SALARY	SALARY
(WAGE RATE -or- SALARY	
(х	TOTAL HOURS	TOTAL_HOURS
(х	MEMBERSHIP CARD SIGNED	MBRSHP_CARD_SIGNED
(x	MEMBERSHIP CARD SIGN DATE	MBRSHP_CARD_SIGN_DATE
` <		x	MEMBERSHIP CARD RECEIVE DATE	MBRSHP_CARD_RECEIVE_DATE
` <		x	MEMBERSHIP CARD TYPE (as provided by Local)	MBRSHP_CARD_TYPE
		x	MEMBERSHIP CARD METHOD OF COLLECTION (as provided by Local)	MBRSHP_CARD_HTPE MBRSHP_CARD_METH_COLLECT
(

Power Shifter - Standard Fields

Page 4 of 4

X RECOMMITTAL SIGNED X RECOMMITTAL SIGN DATE X AUTHORIZATION CARD SIGNED X AUTHORIZATION CARD SIGN DATE X AUTHORIZATION CARD SIGN DATE X AUTHORIZATION CARD SIGN DATE X AUTHORIZATION CARD RECEIVE DATE X EMPLOYER ID (original from uploaded file) X EMPLOYER NAME	RECOMMIT_SIGNED RECOMMIT_SIGN_DATE AUTH_CARD_SIGNED AUTH_CARD_SIGN_DATE
X RECOMMITTAL SIGN DATE X AUTHORIZATION CARD SIGNED X AUTHORIZATION CARD SIGN DATE X AUTHORIZATION CARD RECEIVE DATE X EMPLOYER ID (original from uploaded file)	RECOMMIT_SIGN_DATE
X AUTHORIZATION CARD SIGNED X AUTHORIZATION CARD SIGN DATE X AUTHORIZATION CARD RECEIVE DATE X EMPLOYER ID (original from uploaded file)	AUTH_CARD_SIGNED
X AUTHORIZATION CARD SIGN DATE X AUTHORIZATION CARD RECEIVE DATE X EMPLOYER ID (original from uploaded file)	
X AUTHORIZATION CARD RECEIVE DATE X EMPLOYER ID (original from uploaded file)	AUTH_CARD_SIGN_DATE
X EMPLOYER ID (original from uploaded file)	
	AUTH_CARD_RECEIVE_DATE
	EMPLOYER_ID
C X EMPLOYER NAME	EMPLOYER_NAME
X X EMPLOYER SCHOOL DISTRICT	EMPLOYER_SCHOOL_DIST
X WORKSITE ID (original from uploaded file)	WORKSITE_ID
X WORKSITE LOCATION	WORKSITE_LOCATION
X WORKSITE REGION	WORKSITE_REGION
X WORKSITE AREA	WORKSITE_AREA
X WORKSITE DEPARTMENT	WORKSITE_DEPT
C X WORKSITE DEPARTMENT	WORKSITE_DEPT
C X WORKSITE UNIT	WORKSITE_DIVISION
	WORKSITL_ONIT
X WORKSITE ADDRESS LINE 1 (e.g. 123 Main Street NE)	WORKSITE_ADDR1
X WORKSITE ADDRESS LINE 2 (e.g. Suite)	WORKSITE_ADDR2
X WORKSITE ADDRESS LINE 3	WORKSITE_ADDR3
X X WORKSITE CITY	WORKSITE_CITY
X X WORKSITE STATE/PROVINCE (any format incl. U.S. FIPS)	WORKSITE_STATE
K WORKSITE ZIP (U.S./Canada)	WORKSITE_ZIP
WORKSITE ZIP-4 (4-digit portion only, if not included in WORKSITE ZIP field)	
WORKSITE CITY-STATE-ZIP (may include also ADDRESS)	
X WORKSITE COUNTRY	WORKSITE_COUNTRY
X WORKSITE CAMPUS	WORKSITE_CAMPUS
X WORKER HIRE DATE	WORKER_HIRE_DATE
X WORKER CURRENT HIRE DATE	WORKER_CURRENT_HIRE_DATE
X WORKER SCHEDULE TYPE	WORKER_SCHEDULE_TYPE
X WORKER SHIFT	WORKER_SHIFT
WORKER SHIFT - BEGIN TIME	
WORKER SHIFT - END TIME	
X WORKER GRADE	WORKER_GRADE
X WORKER STEP	WORKER_STEP
WORKER FTE (Full Time Equivalent; e.g. 1.0, 0.75, 0.666667)	WORKER_FTE
X WORKER BARGAINING UNIT	WORKER_BARG_UNIT
X BARGAINING UNIT TOTAL	BARG_UNIT_TOTAL
C X ACTIVE MEMBER TOTAL	ACTIVE_MEMBER_TOTAL
C X ACTIVE MEMBER PERCENT	ACTIVE_MEMBER_PERCENT
C X INACTIVE MEMBER TOTAL	INACTIVE_MEMBER_TOTAL
X INACTIVE MEMBER PERCENT	INACTIVE_MEMBER_PERCENT
C X POTENTIAL MEMBER TOTAL	POTENTIAL_MEMBER_TOTAL
C X POTENTIAL MEMBER PERCENT	POTENTIAL_MEMBER_PERCENT
X DATA SOURCE DATE	DATA_SOURCE_DATE
	DATA_OVORCE_DATE
X [URBAN AREA OF CONCENTRATION - assigned automatically]	URBAN_AREA_OF_CONCENTRATION
X X [MILES FROM URBAN AREA CENTER - assigned automatically]	MILES_FROM_URBAN_AREA_CENTER
X X [URBAN AREA CONCENTRATION TOTAL - assigned automatically]	URBAN_AREA_CONCENTRATION_TOT