

WhoopDeDupe!

Power Shifter - Standard Fields

MAPPED	ASSIGNED	STORED	FIELD MAPPING SCREEN FIELD DESCRIPTION	OUTPUT FIELD NAME
	X	X	[WHOOPDEDUPE RECORD ID - assigned automatically - only unique within file]	WD_REC_ID
	X	X	[FILE NAME - user assigned]	FILE_NAME
	X	X	[FILE CODE #1 - user assigned]	FILE_CODE1
	X	X	[FILE CODE #2 - user assigned]	FILE_CODE2
	X	X	[FILE CODE #3 - user assigned]	FILE_CODE3
X		X	ASSESSMENT (may be SCORE or LABEL)	
	X	X	[mapped from ASSESSMENT by user - scores range from 0 to 9]	ASSESSMENT_SCORE
	X	X	[original mapped ASSESSMENT value]	ASSESSMENT_LABEL
X		X	HAND CHART GROUPING (e.g. VAN turf assignment) [Power Shifter only]	HANDCHART_GROUPING
X		X	UNION LOCAL	U_LOCAL
X		X	MEMBER ID (original from uploaded file)	MEMBER_ID
X		X	EMPLOYEE ID (assigned by employer)	EMPLOYEE_ID
X		X	LICENSE NUMBER	LICENSE_NUMBER
X		X	LICENSE NUMBER EXPIRATION DATE	LICENSE_NUMBER_EXP
X		X	SOCIAL SECURITY NUMBER (stored & exported as an encrypted key)	SSN_KEY [encrypted]
X	X	X	SOCIAL SECURITY NUMBER - LAST 4 DIGITS	SSN_LAST4
	X	X	[TARGETSMART ID - assigned by API data service]	TSID_MOSTRECENT
	X	X	[TARGETSMART MATCH CONFIDENCE - assigned by API data service]	TSID_CONF_MOSTRECENT
X	X	X	DWID (Catalist ID; available to active Catalist accounts)	DWID_MOSTRECENT
X	X	X	DWID CONFIDENCE (Catalist match confidence score; available to active Catalist accounts)	DWID_CONF_MOSTRECENT
X		X	VAN ID	VAN_ID
X		X	MYCAMPAIGN ID (VAN Campaign ID)	MYCAMPAIGN_ID
X	X	X	VOTEBUILDER ID (assigned by TargetSmart for SmartVAN data uploads)	VOTEBUILDER_ID
X		X	FULL NAME	NAME
X	X	X	FIRST NAME	FIRST
X	X	X	MIDDLE NAME (or initial)	MIDDLE
X	X	X	LAST NAME	LAST
X	X	X	NAME SUFFIX	SUFFIX
	X	X	[PERSON #2 FULL NAME - split off from combined name; user prompted with option]	NAME_2
	X	X	[PERSON #2 FIRST NAME - split off from combined name; user prompted with option]	FIRST_2
	X	X	[PERSON #2 MIDDLE NAME - split off from combined name; user prompted with option]	MIDDLE_2
	X	X	[PERSON #2 LAST NAME - split off from combined name; user prompted with option]	LAST_2
	X	X	[PERSON #2 NAME SUFFIX - split off from combined name; user prompted with option]	SUFFIX_2
	X	X	[PERSON #3 FULL NAME - split off from combined name; user prompted with option]	NAME_3
	X	X	[PERSON #3 FIRST NAME - split off from combined name; user prompted with option]	FIRST_3
	X	X	[PERSON #3 MIDDLE NAME - split off from combined name; user prompted with option]	MIDDLE_3
	X	X	[PERSON #3 LAST NAME - split off from combined name; user prompted with option]	LAST_3
	X	X	[PERSON #3 NAME SUFFIX - split off from combined name; user prompted with option]	SUFFIX_3
	X	X	[PERSON #4 FULL NAME - split off from combined name; user prompted with option]	NAME_4
	X	X	[PERSON #4 FIRST NAME - split off from combined name; user prompted with option]	FIRST_4
	X	X	[PERSON #4 MIDDLE NAME - split off from combined name; user prompted with option]	MIDDLE_4
	X	X	[PERSON #4 LAST NAME - split off from combined name; user prompted with option]	LAST_4
	X	X	[PERSON #4 NAME SUFFIX - split off from combined name; user prompted with option]	SUFFIX_4
X		X	NICKNAME or ALIAS	ALIAS
X		X	TITLE / POSITION	TITLE
X	X	X	GENDER (e.g. F, M, Female, Male, etc.)	GENDER
X		X	BIRTH DATE	BIRTHDATE
X	X	X	BIRTH YEAR	BIRTHYEAR
X		X	DECEASED (or date thereof)	DECEASED
X		X	LANGUAGE	LANGUAGE1
	X	X	[LANGUAGE STANDARDIZED - assigned automatically]	LANG1_STANDARD
	X	X	[LANGUAGE CODE - assigned automatically]	LANG1_CODE
X		X	LANGUAGE #2	LANGUAGE2
	X	X	[LANGUAGE #2 STANDARDIZED - assigned automatically]	LANG2_STANDARD
	X	X	[LANGUAGE #2 CODE - assigned automatically]	LANG2_CODE
X		X	HISPANIC	HISPANIC

Power Shifter - Standard Fields

MAPPED	ASSIGNED	STORED	FIELD MAPPING SCREEN FIELD DESCRIPTION	OUTPUT FIELD NAME
	X	X	[POTENTIALLY HISPANIC - assigned automatically]	HISPANIC_FROM_NAME
	X	X	[POTENTIALLY CHINESE - assigned automatically]	CHINESE_FROM_NAME
	X	X	[POTENTIALLY RUSSIAN - assigned automatically]	RUSSIAN_FROM_NAME
	X	X	[POTENTIALLY VIETNAMESE - assigned automatically]	VIETNAMESE_FROM_NAME
X		X	RACE	RACE
X		X	ETHNICITY	ETHNICITY
X		X	ADDRESS LINE 1 (e.g. 123 Main Street NE)	ADDRESS_1
X		X	ADDRESS LINE 2 (e.g. Apt...)	ADDRESS_2
X		X	ADDRESS LINE 3	ADDRESS_3
X			HOUSE NUMBER (e.g. 423 or 423 1/2)	
X			HOUSE FRACTION (e.g. 1/2 or ½)	
X			PRE-DIRECTIONAL (e.g. N, S, E, W, NE, NW, SE, SW)	
X			STREET NAME (e.g. Franklin, Franklin Ave, or Franklin Ave NE)	
X			STREET TYPE (e.g. Avenue or Ave)	
X			POST-DIRECTIONAL (e.g. N, S, E, W, NE, NW, SE, SW)	
X			UNIT TYPE or DESIGNATOR (e.g. APT, STE, LOT, RM, #, etc.)	
X			UNIT NUMBER (e.g. 12, B2, C, 3423, etc.)	
X	X	X	CITY	CITY
X	X	X	U.S. STATE/CANADIAN PROVINCE (any format incl. U.S. FIPS)	STATE
X		X	ZIP (U.S./Canada)	ZIP
X			ZIP-4 (4-digit portion only, if not included in ZIP field)	
X			CITY-STATE-ZIP (may include also ADDRESS and even NAMELINE)	
X		X	COUNTRY	COUNTRY
X	X	X	COUNTY	COUNTY
X		X	BAD ADDRESS	ADDRESS_BAD
X			GOOD ADDRESS (reverse of BAD ADDRESS)	
	X	X	[DATE ADDRESS ENHANCED BY CASS - assigned by SmartSoft CASS API service]	CASS_UPDATE
X	X	X	LATITUDE	LATITUDE
X	X	X	LONGITUDE	LONGITUDE
	X	X	[GEOCODE LEVEL - assigned by SmartSoft or TargetSmart Geocode API service]	GEO_LEVEL
	X	X	[CONGRESSIONAL DISTRICT - assigned by various vendor data services]	CONG_DIST
	X	X	[STATE SENATE DISTRICT - assigned by various vendor data services]	SENATE_DIST
	X	X	[STATE HOUSE/ASSEMBLY DISTRICT - assigned by various vendor data services]	LEG_DIST
	X	X	[PRECINCT NUMBER - assigned by various vendor data services]	PRECINCT_NBR
	X	X	[PRECINCT NAME - assigned by various vendor data services]	PRECINCT_NAME
	X	X	[WARD - assigned by various vendor data services]	WARD
	X	X	[SCHOOL DISTRICT - assigned by various vendor data services]	SCHOOL_DIST
	X	X	[MUNICIPALITY NAME - assigned by various vendor data services]	MUNICIPALITY
	X	X	[COUNTY COMMISSIONER DISTRICT - assigned by various vendor data services]	COUNTY_COMMISSIONER_DIST
	X	X	[EXTRA DISTRICT - different in each state - assigned by various vendor data services]	EXTRA_DIST
X		X	MAILING ADDRESS LINE 1 (e.g. 123 Main Street NE)	MAIL_ADDRESS_1
X		X	MAILING ADDRESS LINE 2 (e.g. Apt...)	MAIL_ADDRESS_2
X		X	MAILING ADDRESS LINE 3	MAIL_ADDRESS_3
X			MAILING ADDRESS HOUSE NUMBER (e.g. 423 or 423 1/2)	
X			MAILING ADDRESS HOUSE FRACTION (e.g. 1/2 or ½)	
X			MAILING ADDRESS PRE-DIRECTIONAL (e.g. N, S, E, W, NE, NW, SE, SW)	
X			MAILING ADDRESS STREET NAME (e.g. Franklin, Franklin Ave, or Franklin Ave NE)	
X			MAILING ADDRESS STREET TYPE (e.g. Avenue or Ave)	
X			MAILING ADDRESS POST-DIRECTIONAL (e.g. N, S, E, W, NE, NW, SE, SW)	
X			MAILING ADDRESS UNIT TYPE or DESIGNATOR (e.g. APT, STE, LOT, RM, #, etc.)	
X			MAILING ADDRESS UNIT NUMBER (e.g. 12, B2, C, 3423, etc.)	
X	X	X	MAILING ADDRESS CITY	MAIL_CITY
X	X	X	MAILING ADDRESS STATE/PROVINCE (any format incl. U.S. FIPS)	MAIL_STATE
X		X	MAILING ADDRESS ZIP (U.S./Canada)	MAIL_ZIP
X			MAILING ADDRESS ZIP-4 (4-digit portion only, if not included in ZIP field)	
X			MAILING ADDRESS CITY-STATE-ZIP (may include also ADDRESS)	
X		X	MAILING ADDRESS COUNTRY	MAIL_COUNTRY
X		X	BAD MAILING ADDRESS	MAIL_ADDRESS_BAD
X			GOOD MAILING ADDRESS (reverse of BAD MAILING ADDRESS)	
X			PRIMARY PHONE AREA CODE (if not included in PRIMARY PHONE field)	
X		X	PRIMARY PHONE	PHONE_PRIMARY
X			PRIMARY PHONE TYPE (e.g. HOME, HM, H, CELL, CL, C, WORK, WK, W, OFFICE, OFC, FAX, FX, F, OTHER, ...)	
	X	X	[BAD PRIMARY PHONE - assigned by vendor service]	PHONE_PRIMARY_BAD

Power Shifter - Standard Fields

MAPPED	ASSIGNED	STORED	FIELD MAPPING SCREEN FIELD DESCRIPTION	OUTPUT FIELD NAME
	X	X	[PHONE APPEND DATE - assigned by vendor service]	PHONE_APPEND_DATE
	X	X	[AREACODE CORRECTION DATE - assigned by vendor service]	AREACODE_UPDATE
X			HOME PHONE AREA CODE (if not included in HOME PHONE field)	
X		X	HOME PHONE	PHONE_HOME
X			CELL PHONE AREA CODE (if not included in CELL PHONE field)	
X		X	CELL PHONE	PHONE_CELL
X			CELL PHONE #2 AREA CODE (if not included in CELL PHONE #2 field)	
X		X	CELL PHONE #2	PHONE_CELL_2
X			WORK PHONE AREA CODE (if not included in WORK PHONE field)	
X		X	WORK PHONE	PHONE_WORK
X		X	WORK PHONE EXT.	PHONE_WORK_EXT
X			FAX AREA CODE (if not included in FAX field)	
X		X	FAX	FAX
X		X	EMAIL ADDRESS	EMAIL
X		X	EMAIL ADDRESS #2	EMAIL_2
X		X	EMAIL ADDRESS #3	EMAIL_3
X		X	EMAIL ADDRESS WORK	EMAIL_WORK
X		X	WEB ADDRESS	WEB
X		X	DO NOT MAIL	DO_NOT_MAIL
X			DO MAIL (reverse of DO NOT MAIL)	
X		X	DO NOT CALL	DO_NOT_CALL
X			DO CALL (reverse of DO NOT CALL)	
X		X	DO NOT EMAIL	DO_NOT_EMAIL
X			DO EMAIL (reverse of DO NOT EMAIL)	
X		X	DO NOT CONTACT / NO SOLICITATION	DO_NOT_CONTACT
X			DO CONTACT (reverse of DO NOT CONTACT)	
X		X	PERMIT CELL PHONE TEXTING	PERMIT_TEXTING
X			DO NOT PERMIT CELL PHONE TEXTING (reverse of PERMIT CELL PHONE TEXTING)	
X		X	PERMIT PERSONAL EMAIL	PERMIT_PERSONAL_EMAIL
X		X	PERMIT WORK EMAIL	PERMIT_WORK_EMAIL
X		X	TEXT ME	TEXT_ME
X		X	EMAIL ME	EMAIL_ME
X		X	INDUSTRY	INDUSTRY
X		X	CLASS	CLASS
X		X	MEMBER TYPE	MBR_TYPE
X		X	STATUS	STATUS
X		X	CONTRACT ID	CONTRACT_ID
X		X	CONTRACT	CONTRACT
X		X	CONTRACT - BEGIN DATE	CONTRACT_BEGIN
X		X	CONTRACT - END DATE	CONTRACT_END
X		X	CHAPTER ID	CHAPTER_ID
X		X	CHAPTER	CHAPTER
X		X	COMMITTEE ID	COMMITTEE_ID
X		X	COMMITTEE	COMMITTEE
X		X	STEWARD	STEWARD
X		X	WORKSITE LEADER	WKST_LEADER
X		X	ACTIVIST	ACTIVIST
X		X	VOLUNTEER	VOLUNTEER
X		X	PARTY AFFILIATION	PARTY
X		X	WAGE RATE	WAGE_RATE
X		X	SALARY	SALARY
X			WAGE RATE -or- SALARY	
X		X	TOTAL HOURS	TOTAL_HOURS
X		X	MEMBERSHIP CARD SIGNED	MBRSHP_CARD_SIGNED
X		X	MEMBERSHIP CARD SIGN DATE	MBRSHP_CARD_SIGN_DATE
X		X	MEMBERSHIP CARD RECEIVE DATE	MBRSHP_CARD_RECEIVE_DATE
X		X	MEMBERSHIP CARD TYPE (as provided by Local)	MBRSHP_CARD_TYPE
X		X	MEMBERSHIP CARD METHOD OF COLLECTION (as provided by Local)	MBRSHP_CARD_METH_COLLECT
X		X	RECOMMITTAL SIGNED	RECOMMIT_SIGNED
X		X	RECOMMITTAL SIGN DATE	RECOMMIT_SIGN_DATE
X		X	AUTHORIZATION CARD SIGNED	AUTH_CARD_SIGNED
X		X	AUTHORIZATION CARD SIGN DATE	AUTH_CARD_SIGN_DATE
X		X	AUTHORIZATION CARD RECEIVE DATE	AUTH_CARD_RECEIVE_DATE

Power Shifter - Standard Fields

MAPPED	ASSIGNED	STORED	FIELD MAPPING SCREEN FIELD DESCRIPTION	OUTPUT FIELD NAME
X		X	EMPLOYER ID (original from uploaded file)	EMPLOYER_ID
X		X	EMPLOYER NAME	EMPLOYER_NAME
X	X	X	EMPLOYER SCHOOL DISTRICT	EMPLOYER_SCHOOL_DIST
X		X	WORKSITE ID (original from uploaded file)	WORKSITE_ID
X		X	WORKSITE LOCATION	WORKSITE_LOCATION
X		X	WORKSITE REGION	WORKSITE_REGION
X		X	WORKSITE AREA	WORKSITE_AREA
X		X	WORKSITE DEPARTMENT	WORKSITE_DEPT
X		X	WORKSITE DIVISION	WORKSITE_DIVISION
X		X	WORKSITE UNIT	WORKSITE_UNIT
X		X	WORKSITE ADDRESS LINE 1 (e.g. 123 Main Street NE)	WORKSITE_ADDR1
X		X	WORKSITE ADDRESS LINE 2 (e.g. Suite...)	WORKSITE_ADDR2
X		X	WORKSITE ADDRESS LINE 3	WORKSITE_ADDR3
X	X	X	WORKSITE CITY	WORKSITE_CITY
X	X	X	WORKSITE STATE/PROVINCE (any format incl. U.S. FIPS)	WORKSITE_STATE
X		X	WORKSITE ZIP (U.S./Canada)	WORKSITE_ZIP
X			WORKSITE ZIP-4 (4-digit portion only, if not included in WORKSITE ZIP field)	
X			WORKSITE CITY-STATE-ZIP (may include also ADDRESS)	
X		X	WORKSITE COUNTRY	WORKSITE_COUNTRY
X		X	WORKSITE CAMPUS	WORKSITE_CAMPUS
X		X	WORKER HIRE DATE	WORKER_HIRE_DATE
X		X	WORKER CURRENT HIRE DATE	WORKER_CURRENT_HIRE_DATE
X		X	WORKER SCHEDULE TYPE	WORKER_SCHEDULE_TYPE
X		X	WORKER SHIFT	WORKER_SHIFT
X			WORKER SHIFT - BEGIN TIME	
X			WORKER SHIFT - END TIME	
X		X	WORKER GRADE	WORKER_GRADE
X		X	WORKER STEP	WORKER_STEP
X		X	WORKER FTE (Full Time Equivalent; e.g. 1.0, 0.75, 0.666667)	WORKER_FTE
X		X	WORKER BARGAINING UNIT	WORKER_BARG_UNIT
X		X	BARGAINING UNIT TOTAL	BARG_UNIT_TOTAL
X		X	ACTIVE MEMBER TOTAL	ACTIVE_MEMBER_TOTAL
X		X	ACTIVE MEMBER PERCENT	ACTIVE_MEMBER_PERCENT
X		X	INACTIVE MEMBER TOTAL	INACTIVE_MEMBER_TOTAL
X		X	INACTIVE MEMBER PERCENT	INACTIVE_MEMBER_PERCENT
X		X	POTENTIAL MEMBER TOTAL	POTENTIAL_MEMBER_TOTAL
X		X	POTENTIAL MEMBER PERCENT	POTENTIAL_MEMBER_PERCENT
X		X	DATA SOURCE DATE	DATA_SOURCE_DATE
	X	X	[URBAN AREA OF CONCENTRATION - assigned automatically]	URBAN_AREA_OF_CONCENTRATION
	X	X	[MILES FROM URBAN AREA CENTER - assigned automatically]	MILES_FROM_URBAN_AREA_CENTER
	X	X	[URBAN AREA CONCENTRATION TOTAL - assigned automatically]	URBAN_AREA_CONCENTRATION_TOTAL